



446/08 Įrankių dėžė 530*200*200mm

užrakinama pakabinama spyņa.




Kodas	P mm	A mm	G mm	⚖ kg
81070000	530	200	200	5,59

P = plotis, A = aukštis, G = gylis

10 Dvigubas veržliaraktis

DIN 3110, ISO 10102 (metrinės sistemos dydžiai),
chromo plieno lydiny, chromuota.




Kodas	⊘ mm	L mm	b ₁ mm	b ₂ mm	a mm	⚖ g	📦
40030405	4 x 5	100	12,5	14	3,4	11	10
40035507	5,5 x 7	120	14,8	17	3,7	19	10
40030607	6 x 7	120	15,5	17	3,7	17	10
40030708	7 x 8	140	17	18	4,0	25	10
40030809	8 x 9	140	18	21	4,0	21	10
40030810	8 x 10	140	18	23	4,5	33	10
40031011	10 x 11	155	23	26	4,8	40	10
40031012	10 x 12	170	23	28	5,3	51	10
40031013	10 x 13	170	23	30	5,3	57	10
40031113	11 x 13	170	26	30	5,3	55	10
40031213	12 x 13	170	28	30	5,3	64	10
40031214	12 x 14	170	28	32	5,3	63	10
40031314	13 x 14	190	30	32	5,3	70	10
40031315	13 x 15	190	30	35	5,3	73	10
40031317	13 x 17	205	30	38	5,8	92	10
40031415	14 x 15	190	32	35	5,3	81	10
40031417	14 x 17	205	32	38	5,8	99	10
40031617	16 x 17	205	36	38	5,8	100	10
40031618	16 x 18	220	36	40	6,7	125	10
40031719	17 x 19	220	38	42	6,7	131	10
40031819	18 x 19	220	40	42,5	6,7	147	10
40031821	18 x 21	235	40	47	7,3	170	10
40031922	19 x 22	235	42	49	7,3	179	10
40032022	20 x 22	235	45	49	7,3	185	10
40032123	21 x 23	250	47	51	7,8	225	5
40032124	21 x 24	250	47	53	7,8	215	5
40032224	22 x 24	250	49	53	7,8	232	5
40032426	24 x 26	270	53	57,5	8,3	293	5
40032427	24 x 27	280	53	60	8,3	299	5
40032528	25 x 28	285	55	62	8,3	309	5
40032730	27 x 30	300	60	66	9,4	412	5
40032732	27 x 32	300	60	70	9,4	418	5
40033032	30 x 32	300	66	70	9,4	451	5
40033034	30 x 34	300	66	75	9,4	480	5
40033236	32 x 36	325	70	80	10	546	5
40033436	34 x 36	325	75	80	10	619	1
40033641	36 x 41	375	80	88	11	800	1
40034146	41 x 46	425	88	94,5	12	1030	1



13 Kombinuotas veržliaraktis

AS-drive

DIN 3113 A forma / ISO 7738 A forma, chromo plieno lydinys, chromuotas.




Kodas	mm	L mm	b mm	d mm	a ₁ mm	a ₂ mm	g	
40085500	5,5	100	14,8	9,2	3,5	5,8	13	10
40080606	6	105	15,5	9,9	3,6	6	15	10
40080707	7	110	17	11,3	3,9	6	20	10
40080808	8	115	18	12,4	4,2	7	21	10
40080909	9	120	21	13,4	4,5	7	27	10
40081010	10	125	23	14,8	4,8	7	35	10
40081111	11	135	26	16,4	4,8	8	43	10
40081212	12	140	28	17,8	5,3	8,5	46	10
40081313	13	160	30	19,1	5,3	8,5	57	10
40081414	14	165	32	20,6	5,3	8,5	68	10
40081515	15	170	35	21,9	5,3	8,5	73	10
40081616	16	180	36	23,2	5,8	10	89	10
40081717	17	190	38	24,6	5,8	10	99	10
40081818	18	200	40	26	6,7	11,5	126	10
40081919	19	230	42	27,5	6,7	11,5	142	10
40082020	20	230	45	29	7	13	176	10
40082121	21	260	47	30,3	7,3	13	216	10
40082222	22	260	49	31,8	7,3	13	220	10
40082323	23	280	53	33,5	7,8	14	251	5
40082424	24	280	53	34,9	7,8	14	254	5
40082525	25	300	55	36,3	8,4	14,5	281	5
40082626	26	300	57,5	37,8	8,4	14,5	315	5
40082727	27	300	60	39,2	8,4	14,5	345	5
40082828	28	320	62	40,6	8,4	14,5	368	5
40082929	29	330	64	41,9	8,9	16	420	5
40083030	30	330	66	43,2	8,9	16	404	5
40083232	32	360	70	45,8	9,4	16,5	484	5
40083434	34	450	80	48	9,4	17	683	1
40083636	36	460	88	50,8	10	18	787	1
40083838	38	480	87	53,6	11	19	915	1
40084141	41	480	88	57,8	11	19	1055	1
40084646	46	500	94,5	65,2	13	20	1352	1
40085050	50	530	103	73	14	21	1700	1
40085555	55	560	114	81	15	22	2193	1
40086060	60	590	125	89,8	16	24	2925	1

13a Kombinuotas veržliaraktis

AS-drive

DIN 3113 A forma / ISO 7738 A forma, chromo plieno lydinys, chromuotas.



Kodas	"	L mm	b mm	d mm	a ₁ mm	a ₂ mm	g	
40481212	3/16	95	14	9,8	3	3,2	10	5
40481313	13/64	95	14	9,8	3	3,2	10	5
40481414	7/32	95	14	9,8	3	3,2	10	5
40481515	15/64	95	14	9,8	3	3,2	9	5
40481616	1/4	105	15,5	10,2	3,6	6	14	10
40481818	9/32	110	17	11,3	3,9	6	17	10
40482020	5/16	115	18	12,4	4,2	7	20	10
40482222	11/32	120	21	13,4	4,5	7	26	10
40482424	3/8	125	23	14,3	4,8	7	32	10
40482828	7/16	135	26	16,4	4,8	8	41	10
40483232	1/2	160	30	18,8	5,3	8,5	57	10
40483434	9/16	165	32	20,6	5,3	8,5	68	10
40483535	19/32	170	35	21,9	5,3	8,5	74	10
40483636	5/8	180	37	23,2	5,8	10	88	10
40483838	11/16	200	40	25,3	6,7	11,5	116	10
40484040	3/4	230	42	27,5	6,7	11,5	144	10
40484141	25/32	235	45	29	7	13	175	5
40484242	13/16	260	47	30	7,3	13	204	5
40484444	7/8	260	49	31,8	7,3	13	217	5
40484646	15/16	280	53	34,9	7,8	14	255	5
40484848	1	300	55	37,2	8,4	14,5	286	5
40485050	1 1/16	300	60	39,2	8,4	14,5	327	5
40485252	1 1/8	330	64	41,4	8,9	16	380	5
40485454	1 3/16	335	66	43,2	8,9	16,5	398	1
40485656	1 1/4	360	70	45,8	9,4	16,5	504	5
40485858	1 5/16	450	74	47	9,6	17	617	1
40486060	1 3/8	460	80	49,3	10	18	796	1
40486262	1 7/16	460	80	51,4	10	18	770	1
40486464	1 1/2	480	87	53,6	11	19	961	1
40486666	1 5/8	480	88	58	11	19	1021	1
40486969	1 13/16	500	94,5	65,3	13	20	1343	1
40487070	1 7/8	530	103	68,4	14	21	1779	1
40487272	2	530	103	74	14	21	1817	1






14 Kombinuotas veržliaraktis

AS-drive

DIN 3113 B forma / ISO 7738 B forma, chromo plieno lydinys, chromuotas.



Kodas	mm	L mm	b mm	d mm	a ₁ mm	a ₂ mm	t mm	g	g	g
40100606	6	125	14	9,5	4,5	6	7	18	10	10
40100707	7	135	16	10,8	5	7	8	25	10	10
40100808	8	145	17,5	12,1	5	7	8	28	10	10
40100909	9	155	19	13,3	5,5	8	9	34	10	10
40101010	10	165	21	14,6	5,5	8	9	43	10	10
40101111	11	180	23,5	15,9	6	9	10	55	10	10
40101212	12	180	25,5	17,3	6	9	10	61	10	10
40101313	13	195	27,5	18,6	6,5	10	11	83	10	10
40101414	14	210	29,5	20,1	6,5	10	11	88	10	10
40101515	15	215	31	21,4	7	11	13	109	10	10
40101616	16	230	33	22,7	7	11	14	108	10	10
40101717	17	240	35	24,1	7,5	12	15	151	10	10
40101818	18	255	37	25,5	7,5	12	16	151	10	10
40101919	19	265	39,5	27	8	13	18	190	10	10
40102020	20	280	41,5	28,5	8	13	19	219	10	10
40102121	21	280	43	29,8	8,5	13	19	244	10	10
40102222	22	300	45	31,3	8,5	14	20	268	10	10
40102424	24	330	50	34,3	9,5	14	22	363	5	5
40102727	27	385	56	38,6	10,5	16	24	502	5	5
40103030	30	415	63	42,6	12	18	26	645	5	5
40103232	32	430	67	45,2	12	18	27	666	5	5
40103434	34	460	72	48	13	18	27	900	1	1
40103636	36	480	74	50,8	13	19	28	951	1	1
40104141	41	560	84	57,8	14	20	32	1322	1	1

21 Žiedinis veržliaraktis

AS-drive

StahlwilleSTABIL®

tiesus, DIN 837/ISO 10103, chromo plieno lydinys, chromuotas.




Kodas	mm	L mm	d ₁ mm	d ₂ mm	a mm	g	g	g
41050607	6 x 7	100	9,6	11	4,5	14	10	10
41050809	8 x 9	115	12,5	14	5,5	19	10	10
41050810	8 x 10	115	12,5	15,4	6	18	10	10
41051011	10 x 11	130	15,4	16,6	6	28	10	10
41051213	12 x 13	150	18,2	19,5	6,5	42	10	10
41051316	13 x 16*	170	19,5	24	7	54	10	10
41051317	13 x 17	170	19,5	25	8	57	10	10
41051415	14 x 15	165	21	22,5	7,5	55	10	10
41051617	16 x 17	170	23,8	25	8	68	10	10
41051618	16 x 18*	185	23,8	26,3	8	74	10	10
41051719	17 x 19	185	25	27,6	8	78	10	10
41051819	18 x 19	185	26,3	27,6	9	84	10	10
41051821	18 x 21	210	26,3	30,5	9	107	5	5
41051922	19 x 22	210	27,6	32,4	9	109	5	5
41052022	20 x 22	210	29	32,4	9	109	5	5
41052124	21 x 24	235	30,5	34,7	10	128	5	5
41052427	24 x 27	290	34,7	38,5	11	225	5	5
41052732	27 x 32	320	38,5	45,5	12	283	5	5
41053032	30 x 32	325	43	45,5	12	289	5	5
41053034	30 x 34	325	43	48,5	12	307	5	5

* planuojama nutraukti tiekimą

21TX Žiedinis veržliaraktis

išoriniams TORX® varžtams, tiesus, chromo plieno lydinys, chromuotas.



Kodas	dydis	L mm	d ₁ mm	d ₂ mm	a ₁ mm	a ₂ mm	g	g
41250608	E6 x E8	115,5	9,6	11,6	4,5	5,5	17	10
41251012	E10 x E12	149,5	13,7	15,7	6,5	7,5	33	10
41251418	E14 x E18	185	17,8	22,5	8	9,5	71	10
41252024	E20 x E24	227	24,7	29,2	10,5	12,5	129	10



24 Dvigubas veržliaraktis

AS-drive


DIN 3118 / ISO 3318 (metrinės sistemos dydžiai), chromo plieno lydinys, chromuotas.



Kodas	mm	L mm	d ₁ mm	d ₂ mm	a ₁ mm	a ₂ mm	m ₁ mm	m ₂ mm	g	
41080810	8 x 10	145	17,5	19,5	7	8,5	6,3	7,1	39	10
41080911	9 x 11	155	18,5	21,5	8,5	9	6,7	8,6	54	10
41081011	10 x 11	155	19,5	21,5	8,5	9	7,1	8,6	55	10
41081012	10 x 12	160	19,5	22,5	8,5	9,5	7,1	9	59	10
41081113	11 x 13	170	21,5	24	9	10	8,6	10	80	10
41081214	12 x 14	180	24	26	9,5	10,5	9	11	89	10

5 Veržliaraktis

be vamzdinės rankenėlės, chromo plieno lydinys, chromuotas.



Kodas	mm	L ₁ mm	L ₂ mm	b mm	a mm	h mm	g	rankenėlė	
42020024	24	180	555	38	17	29,5	381	5 1/2-1	1
42020027	27	190	560	41	17	31,5	421	1	1
42020030	30	200	565	47	18	33,5	503	1	1
42020032	32	235	730	49	18	34	712	2	1
42020036	36	245	735	54	20	35,5	816	2	1
42020038	38	250	740	56	21	37,5	810	2	1
42020041	41	265	750	62	22	39,5	910	2	1
42020042	42	265	750	62	22	39,5	919	2	1
42020046	46	280	910	69	23	40	1192	3	1
42020050	50	290	920	76	25,5	42,5	1426	3	1
42020055	55	300	925	81	28	45,5	1541	3	1
42020060	60	345	1050	90	30,5	49	2260	4	1
42020065	65	355	1060	98	33	53	2603	4	1
42020070	70	365	1065	105	35,5	55	2882	4	1
42020075	75	375	1070	110	38	57,6	3058	4	1
42020080	80	385	1075	125	40,5	59	3889	4	1
42020085	85	385	1075	125	40,5	59	3648	4	1
42020090	90	410	1100	140	45	63	5238	4	1
42020095	95	410	1100	140	45	63	4630	4	1
42020100	100	412	1100	143	45	63	4895	4	1

Nr. 5a galimas užsakius

L₂ = ilgis be rankenėlės Nr. 5 1/2

4025 Reguliuojamas raktas


dešinei rankai, DIN 3117 / ISO 6787, B forma, griebtuvo žiočių poslinkis 22°, chromo vanadžio lydinys, chromuotas.



Kodas	dydis	max. mm	L mm	b mm	a mm	g	
40250004	4	13	114	33	9,5	53	5
40250006	6	20	159	48	12	123	5
40250008	8	24	206	60	13,5	241	5
40250010	10	29	257	71	16	399	5
40250012	12	34	309	83	19	708	5
40250015	15	43	384	103	25	1287	1
40250018	18	53	460	120	30	2105	1

10750 Vamzdelio tipo veržliaraktis

DIN 896 B tipas, pagamintas iš vientiso tiksliai suformuoto plieninio vamzdžio abiejuose galuose, chromo plieno lydinys, paviršius šlifuotas ir chromuotas.



Kodas	mm	L mm	d ₁ mm	d ₂ mm	g	
43320607	6 x 7	110	7,52	10,5	26	10
43320809	8 x 9	110	12,2	13,2	30	10
43321011	10 x 11	120	14,2	15,2	48	10
43321213	12 x 13	140	17,2	18,2	68	10
43321415	14 x 15	140	19,2	20,2	78	10
43321617	16 x 17	150	22,2	23,2	123	10
43321719	17 x 19	160	24,2	26,2	147	10
43321819	18 x 19	160	25,2	26,2	148	10
43322022	20 x 22	170	27,2	29,3	200	5
43322123	21 x 23	170	28,2	30,2	191	5
43322426	24 x 26	190	32,2	34,2	293	5
43322427	24 x 27	190	32,2	35,2	289	5
43323032	30 x 32	200	39,2	42,3	382	5
43323236	32 x 36	220	42,2	46,2	535	2
43323641	36 x 41	220	47,2	52,5	662	2
43324146	41 x 46	240	53,2	59,2	750	2
43324650	46 x 50	240	58,5	63,5	959	2
43325560	55 x 60	240	70,2	76,2	1125	2